

22" LED FHD Monitor

MW3222-EZB3




Key Features

- True color display
- Resolution is up to at 1920×1080
- Wide view of field:178°(H)/ 178°(V)
- Specific menu design, which is simple to operate
- Support 7*24 working and lower power consumption
- Adaptively recognize signal
- VESA stand bracket
- Support multiple language

Specifications

Model	MW3222-EZB3
Display	
Backlight Type:	LED Edgelight
Screen Size	21.5"
Shape	Wide Screen Monitor
Pixel Pitch(mm)	0.248× 0.248
Max Resolution	Full HD 1920×1080
Refresh Rate	60Hz
Brightness	250 cd/m ²
Contrast	1000:1
Response Time	5ms typical (black to gray, gray to black)
color	16.7M
Aspect Ratio	>16:9
Panel Type	In-Panel Switching (IPS), Anti-glare with 3H hardness.
Viewing Angle	Horizontal 178°, Vertical 178°
Interface	
VGA	1
HDMI	1
I/O Slots	N/A
Mounting	
VESA	75*75
General	
Power supply	DC 12V, 2A
Consumption	20 W(on) <0.5 W(Standby)
Operation Temperature	0°C ~ 40 °C
Operating Humidity	20%~85% (No Condensation)
Storage Temperature	-20°C ~ 50°C
Storage Humidity	0%~90% (No Condensation)
Dimension	Product Dimensions (W*H*D) (mm): 492.7*284.0*41.2 Package Dimensions (W*H*D) (mm): 598*99*366
Weight:	Net Weight:2.18Kg Gross Weight:3.12Kg
Accessory	
Standard	HDMI cable, Adapter & power cable, Pedestal ,Quick Guide
Optional	Hanging bracket

Dimensions



Zhejiang Uniview Technologies Co., Ltd.

No. 369, Xietong Road, Xixing Sub-district, Binjiang District, Hangzhou City, 310051, Zhejiang Province, China (Zhejiang) Pilot Free Trade Zone, China

Email: overseasbusiness@uniview.com; globalsupport@uniview.com

<http://www.uniview.com>

©2024-2025 Zhejiang Uniview Technologies Co., Ltd. All rights reserved.

*Product specifications and availability are subject to change without notice.

*Despite our best efforts, technical or typographical errors may exist in this document. Uniview cannot be held responsible for any such errors and reserves the right to change the contents of this document without prior notice.