

65 Inch Smart Interactive Display

MW3565-U-YP-1



Features

- 4K UHD anti-glare display delivers images with extreme detail.
- Zero lamination technology with less than 1mm gap between the cover glass and display panel effectively reduces light refraction and brings better visual effect.
- Minimalist geometric line design and smooth border outline, elegant and attractive.
- The 2.0 sound channel speakers deliver high-quality audiovisual effect.
- High-precision infrared touch technology allows up to 40-point touch and 20-point writing.
- Bluetooth 5.0 offers higher data transmission rate and lower power consumption.
- Android 14.0 system offers user-friendly and easy-to-use GUI.
- A variety of quick tools, such as annotation, screenshot, etc., improves usability and interaction efficiency.


- Wireless screen mirroring from various operating systems such as Android, iOS, and Windows to the display with one touch.
- Fast file transfer allows users to quickly transfer files to the display via a QR code.
- OTA remote upgrade allows the system to be upgraded online without backing up data.
- OCR recognition. The whiteboard can automatically recognize text and graphics.

Specifications


Model	MW3565-U-YP-1
Panel	
Backlight	DLED backlight
Panel Size	65"
Resolution	3840 × 2160
Brightness (cd/m ²)	350
Contrast Ratio	5000:1
Response Time (ms)	8
Color Support	1.07 B
Viewing Angle (H/V)	178°/178°
Lifespan (h)	50000
Refresh rate (Hz)	60
Color Gamut	72% NTSC
Surface Hardness	9H (7 on the Mohs scale)
Haze Value	25%
Display Size (mm)	1428.5 x 803.5
Pixel Pitch (H × V) (mm)	0.37 x 0.37
Touch	
Touch Control	Up to 40-point multi-touch (WIN: 40-point, Android: 32-point)
Touch Precision (mm)	2
Touch Response Time (ms)	≤5
Touch technology	Infrared touch
System	
CPU	8 × A55
RAM	8 GB
ROM	128 GB
CPU Frequency	1.2GHz
Operation System	Android 14.0
Interface	
Video Input	2 x HDMI IN 1 x VGA
Video Output	1 x HDMI OUT
Audio Input	1 x 3.5mm interface
Audio Output	1 x COAX, 1 x 3.5mm interface
Other Interfaces	1 x RS232, 4 x USB 2.0, 1 x USB 3.0, 1 x USB Type-C, 2 x TOUCH OUT, 1 x TF CARD
Network	1 x RJ45
Audio	

Speaker	40W
Camera	
Camera	48MP Android: Pixel 8MP for Photos & 2MP for Video Windows: Pixel 48MP for Photos & 8MP for Video
viewing angle	118.3°(D), 99.2°(H), 69.7°(V)
Microphone array	8
Pickup distance (m)	Far-field sound pickup:8-12m
Wi-Fi	
Wi-Fi Configuration	2.4GHz/5GHz Wi-Fi 6
Bluetooth	
Bluetooth Version	5.0
OSD	
Multi-Language	27 (Simplified Chinese, Traditional Chinese, Japanese, German, English, Spanish, French, Italian, Portuguese, Russian, Korean, Vietnamese, Ukrainian, Hungarian, Polish, Thai, Arabic, Kazakh, Bulgarian, Galician, Catalan, Uzbek, Indonesian, Czech, Croatian, Slovak, Romanian)
VESA	
Wall Mount Hole (mm)	500 x 400
Wall Mount Screw	4-M8 screw hole, hole depth 20mm
General	
Overall Power Consumption (W)	<185
Standby Power Consumption (W)	< 0.5
Operating Voltage	AC 100V to 240 V
Product Dimensions (W × H × D) (mm)	1500.6 x 886.8 x 115.7
Package Dimensions (W × H × D) (mm)	1616 x 1012 x 220
Weight (kg)	Net weight: 36 Gross weight: 47
Operating Temperature	0°C to 45°C
Operating Humidity	10% to 90% RH (noncondensing)
Storage Temperature	-20 to 60°C
Storage Humidity	0% to 95% (non-condensing)
Accessories Included	1 x power cable, 2 x touch pen, 1 x quick guide, 1 x wall mount bracket, 1 x infrared remote control, 3 x rod antenna



Dimensions



Interface



Front Interfaces



Side Interfaces

Unlimited New View

Zhejiang Uniview Technologies Co., Ltd.



<http://www.uniview.com>



overseasbusiness@uniview.com; globalsupport@uniview.com



No. 369, Xietong Road, Xixing Sub-district, Binjiang District, Hangzhou City, 310051, Zhejiang Province, China (Zhejiang) Pilot Free Trade Zone, China



©2023-2025 Zhejiang Uniview Technologies Co., Ltd. All rights reserved.

*Product specifications and availability are subject to change without notice.

*Despite our best efforts, technical or typographical errors may exist in this document.

Uniview cannot be held responsible for any such errors and reserves the right to change the contents of this document without prior notice.